

Appendix F

Additional Data Tables for 2009 new and existing patients

F:1 Patients starting renal replacement therapy in 2009

Table F.1.1. Take on totals for new patients on dialysis at 90 days in 2009

	Aged <65		Aged ≥65	
	HD N	PD N	HD N	PD N
England	1,761	685	2,130	362
N Ireland	56	9	69	11
Scotland	185	42	198	29
Wales	100	37	167	21
UK	2,102	773	2,564	423

Table F.1.2. Number of patients per treatment modality at 90 days

	HD	PD	Transplant	Stopped treatment	Died
England	3,891	1,047	417	9	339
N Ireland	125	20	3	2	5
Scotland	383	71	17	0	56
Wales	267	58	16	1	22
UK	4,666	1,196	453	12	422

Table F.1.3. First treatment modality

Centre	% HD	% PD	% transplant	Centre	% HD	% PD	% transplant
Abrdn	83	17		L Rfree	79	8	13
Airdrie	83	17		L St.G	69	17	15
Antrim	95	5		L West	85	3	12
B Heart	87	10	3	Leeds	69	24	8
B QEH	75	17	8	Leic	73	17	10
Bangor	67	33		Liv Ain	89	11	
Basldn	88	12		Liv RI	71	24	5
Belfast	87	8	6	M Hope	69	31	1
Bradfd	76	24		M RI	63	17	20
Brightn	56	38	6	Middlbr	86	13	1
Bristol	79	12	9	Newc	72	16	12
Camb	82	7	11	Newry	90	10	
Cardff	80	14	6	Norwch	77	23	
Carlis	75	21	4	Nottm	70	27	3
Carsh	82	17	1	Oxford	61	29	11
Chelms	63	37		Plymth	62	23	15
Clwyd	100			Ports	64	30	7
Colchr	100			Prestn	77	21	2
Covnt	76	20	3	Redng	58	40	2

Table F.1.3. Continued

Centre	% HD	% PD	% transplant	Centre	% HD	% PD	% transplant
D & Gall	88	12		Sheff	80	16	4
Derby	67	33		Shrew	79	15	6
Derry	94	6		Stevng	80	9	10
Donc	75	25		Sthend	61	35	4
Dorset	74	23	3	Stoke	81	16	4
Dudley	74	26		Sund	75	23	2
Dundee	94	6		Swanse	85	15	
Dunfn	82	18		Truro	76	24	
Edinb	76	21	3	Tyrone	84	16	
Exeter	86	13	1	Ulster	100		
Glasgw	87	10	3	Wirral	74	26	
Glouc	80	19	1	Wolve	73	26	2
Hull	80	19	1	Wrexm	68	32	
Inverns	89	11		York	93	7	
Ipswi	76	21	3	England	75	19	7
Kent	77	16	8	N Ireland	90	8	2
Klmarnk	78	22		Scotland	84	14	2
L Barts	65	29	6	Wales	81	16	3
L Guys	75	6	19	UK	76	18	6

Table F.1.4. First treatment modality, patient numbers

	HD	PD	Transplant
England	4,175	1,037	367
N Ireland	126	11	3
Scotland	456	75	9
Wales	290	58	11
UK	5,047	1,181	390

Table F.1.5. Gender breakdown by treatment modality (at 90 days)

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
Abrdn	79	21	3.9	64	36	1.7
Airdrie	48	52	0.9	40	60	0.7
Antrim	30	70	0.4	50	50	1.0
B Heart	54	46	1.2	67	33	2.0
B QEH	54	47	1.2	56	44	1.3
Bangor	81	19	4.3	75	25	3.0
Basldn	71	29	2.4	75	25	3.0
Belfast	70	30	2.3	20	80	0.3
Bradfd	55	45	1.2	71	29	2.5
Brightn	59	41	1.4	70	30	2.4
Bristol	61	39	1.5	44	56	0.8
Camb	70	30	2.4	67	33	2.0
Cardff	59	41	1.4	63	37	1.7
Carlis	56	44	1.3	75	25	3.0
Carsh	62	38	1.7	56	44	1.3
Chelms	74	26	2.8	82	18	4.5
Clwyd	67	33	2.0	100		
Colchr	69	31	2.2	100		
Covnt	63	37	1.7	77	23	3.4
D & Gall	50	50	1.0		100	

Table F.1.5. Continued

Centre	HD			PD		
	% male	% female	M:F ratio	% male	% female	M:F ratio
Derby	56	44	1.3	78	22	3.6
Donc	44	57	0.8	86	14	6.0
Dorset	73	27	2.7	63	38	1.7
Dudley	51	49	1.1	69	31	2.2
Dundee	51	49	1.0	75	25	3.0
Dunfn	44	56	0.8	67	33	2.0
Edinb	62	38	1.7	64	36	1.7
Exeter	64	36	1.8	70	30	2.3
Glasgw	58	42	1.4	63	38	1.7
Glouc	53	47	1.1	75	25	3.0
Hull	64	36	1.8	57	43	1.3
Inverns	67	33	2.0	50	50	1.0
Ipswi	68	32	2.1	67	33	2.0
Kent	70	30	2.3	65	35	1.9
Klmarnk	55	46	1.2	86	14	6.0
L Barts	65	35	1.8	57	43	1.3
L Guys	57	43	1.3	46	55	0.8
L Kings	56	44	1.3	67	33	2.0
L Rfree	61	40	1.5	47	53	0.9
L St.G	61	39	1.6	70	30	2.3
L West	65	35	1.8	55	46	1.2
Leeds	59	41	1.5	59	41	1.4
Leic	60	41	1.5	57	43	1.3
Liv Ain	68	32	2.1	40	60	0.7
Liv RI	59	42	1.4	63	37	1.7
M Hope	45	55	0.8	54	47	1.2
M RI	64	36	1.8	66	34	1.9
Middlbr	63	37	1.7	44	56	0.8
Newc	71	30	2.4	75	25	3.0
Newry	59	41	1.4	50	50	1.0
Norwch	70	30	2.3	71	29	2.5
Nottm	57	44	1.3	58	42	1.4
Oxford	60	41	1.5	65	35	1.9
Plymth	77	23	3.4	47	53	0.9
Ports	65	35	1.8	73	27	2.7
Prestn	56	44	1.3	64	36	1.8
Redng	66	35	1.9	48	52	0.9
Sheff	64	36	1.8	69	31	2.2
Shrew	50	50	1.0	60	40	1.5
Stevng	66	34	2.0	63	38	1.7
Sthend	78	22	3.5	67	33	2.0
Stoke	58	42	1.4	59	41	1.4
Sund	61	39	1.6	42	58	0.7
Swanse	61	39	1.6	65	35	1.8
Truro	63	37	1.7	86	14	6.0
Tyrone	67	33	2.0	60	40	1.5
Ulster	60	40	1.5			
Wirral	62	38	1.6	67	33	2.0
Wolve	58	42	1.4	67	33	2.0
Wrexm	62	39	1.6	40	60	0.7
York	69	31	2.2	88	13	7.0
England	61	39	1.6	63	37	1.7
N Ireland	59	41	1.5	40	60	0.7
Scotland	59	42	1.4	63	37	1.7
Wales	62	38	1.6	64	36	1.8
UK	61	39	1.6	62	38	1.7

F:2 Prevalent patients on 31/12/2009**Table F.2.1.** Treatment modalities for patients aged under and over 65

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Abrdn	30	7	63	4.2	76	6	18	13.0
Airdrie	44	5	51	9.7	77	3	20	23.3
Antrim	37	5	58	8.0	79	8	12	9.4
B Heart	58	5	37	12.1	83	6	11	14.0
B QEH	35	9	56	4.0	73	9	19	8.5
Bangor	76	24		3.2	68	32		2.1
Basldn	60	9	31	6.9	74	19	7	4.0
Belfast	26	4	69	6.1	61	8	31	7.7
Bradfd	37	8	55	4.7	65	9	27	7.5
Brightn	28	10	62	2.8	66	14	20	4.8
Bristol	24	6	70	4.0	61	7	32	9.3
Camb	21	4	74	5.3	70	4	26	15.9
Cardff	23	7	71	3.5	64	9	27	7.3
Carlisle	22	7	72	3.2	54	9	38	6.2
Carsh	36	9	55	4.0	75	10	15	7.2
Chelms	40	13	47	2.9	69	20	11	3.4
Clwyd	45	5	49	8.4	67	4	29	17.0
Colchr	100				100			
Covnt	31	9	60	3.6	65	13	22	4.9
D & Gall	24	12	64	2.0	79	7	14	11.3
Derby	50	22	28	2.3	70	19	11	3.6
Derry	46	3	51	16.0	75	2	23	33.0
Donc	51	17	32	3.1	76	17	7	4.5
Dorset	29	7	64	4.4	56	15	29	3.7
Dudley	49	19	32	2.6	60	20	20	3.0
Dundee	29	9	62	3.2	71	4	25	16.3
Dunfn	38	7	54	5.2	68	14	18	4.7
Edinb	33	7	60	4.6	56	14	31	4.1
Exeter	27	9	64	3.2	73	11	16	6.5
Glasgw	32	4	65	8.0	69	4	27	16.4
Glouc	30	15	55	2.0	77	8	15	9.5
Hull	34	9	57	3.9	71	13	15	5.3
Inverns	25	6	69	4.2	70	18	12	4.0
Ipswi	26	11	63	2.4	55	20	25	2.8
Kent	29	8	63	3.6	71	11	18	6.4
Klmarnk	43	13	44	3.3	76	15	9	5.0
L Barts	37	10	53	3.7	62	16	22	3.9
L Guys	29	3	68	10.1	64	5	32	14.2
L Kings	41	11	48	3.6	70	10	20	7.1
L Rfree	30	4	66	7.5	70	6	25	12.1
L St.G	28	8	64	3.3	63	12	25	5.4
L West	33	1	66	25.8	74	1	24	52.6
Leeds	25	7	67	3.4	64	9	27	7.1
Leic	32	8	60	4.1	64	13	23	5.0
Liv Ain	94	6		15.0	97	3		32.0
Liv RI	25	6	68	3.9	53	9	37	5.7
M Hope	36	15	50	2.4	65	16	19	4.1
M RI	23	6	70	3.8	52	10	38	5.1
Middlbr	29	2	69	13.3	66	4	30	16.2
Newc	23	6	71	4.2	50	7	43	7.0
Newry	47	9	43	5.0	81	4	15	19.3
Norwch	35	10	55	3.5	76	10	15	7.8

Table F.2.1. Continued

Centre	Patients aged <65				Patients aged ≥65			
	% HD	% PD	% transplant	HD:PD	% HD	% PD	% transplant	HD:PD
Nottm	30	11	59	2.6	73	12	15	5.9
Oxford	19	7	74	2.9	51	11	39	4.7
Plymth	17	8	76	2.2	48	12	40	4.0
Ports	26	6	69	4.5	61	11	28	5.6
Prestn	41	8	51	5.0	72	8	20	8.5
Redng	30	13	56	2.3	62	14	23	4.4
Sheff	37	5	58	7.2	71	7	22	9.7
Shrew	45	10	46	4.5	77	7	16	11.8
Stevng	52	6	42	8.4	85	3	12	25.3
Sthend	49	14	37	3.4	77	4	19	18.0
Stoke	36	10	53	3.5	66	13	21	5.2
Sund	39	7	54	5.2	71	8	21	8.8
Swanse	42	8	50	5.4	77	12	11	6.3
Truro	27	8	64	3.3	71	9	20	7.6
Tyrone	48	7	45	6.5	83	8	8	10.0
Ulster	61	5	34	12.5	96	0	4	0.0
Wirral	83	17		4.9	85	15		5.8
Wolve	50	11	39	4.6	81	10	8	7.8
Wrexm	26	6	67	4.1	46	23	31	2.0
York	52	5	43	10.7	72	5	23	13.8
England	32	7	60	4.3	68	10	23	7.1
N Ireland	35	5	60	6.9	75	6	19	12.4
Scotland	33	6	61	5.2	69	8	23	8.7
Wales	30	7	63	4.1	67	12	21	5.4
UK	32	7	60	4.4	68	9	22	7.2

Table F.2.2. Number of patients under and over 65 per treatment modality

	Patients aged <65			Patients aged ≥65		
	HD	PD	Transplant	HD	PD	Transplant
England	8,754	2,016	16,247	9,437	1,337	3,171
N Ireland	312	45	529	414	33	101
Scotland	944	183	1,744	904	104	294
Wales	477	116	1,008	608	112	190
UK	10,487	2,360	19,528	11,363	1,586	3,756

Table F.2.3. Dialysis modalities for patients aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	5	76	0	6	13	0
Airdrie**	0	91	0	4	6	0
Antrim*	4	84	0	2	9	0
B Heart	4	81	7	7	1	0
B QEH	3	18	59	8	12	0
Bangor	8	69	0	6	18	0
Basldn	0	87	0	4	9	0
Belfast*	5	82	0	3	11	1
Bradfd	0	70	12	6	11	0
Brightn	14	33	26	11	16	0
Bristol	9	19	52	10	10	0
Camb	5	37	42	0	0	16
Cardff	9	21	48	22	0	0
Carlisle	0	50	26	8	16	0
Carsh	1	32	47	7	12	0
Chelms	0	75	0	16	9	0
Clwyd	2	87	0	6	4	0
Colchr	0	100	0			
Covnt	2	76	0	22	0	0
D & Gall**	0	67	0	15	19	0
Derby	4	66	0	24	6	0
Derry*	3	91	0	0	6	0
Donc	0	60	16	5	19	0
Dorset	1	22	58	7	11	0
Dudley	2	52	18	28	0	0
Dundee**	0	76	0	6	18	0
Dunfm**	0	84	0	1	15	0
Edinb**	3	79	0	6	11	0
Exeter	1	33	42	13	11	0
Glasgw**	7	66	16	8	3	0
Glouc	0	67	0	5	26	1
Hull	5	40	35	9	12	0
Inverns**	6	74	0	6	13	0
Ipswi	1	59	10	14	15	0
Kent	4	22	52	22	0	0
Klmarnk**	5	72	0	3	21	0
L Barts	1	30	47	7	14	0
L Guys	9	24	58	3	6	0
L Kings	0	32	46	5	16	0
L Rfree	3	39	46	2	9	0
L St.G	5	40	32	8	15	0
L West	2	32	63	1	3	0
Leeds	5	17	55	7	16	0
Leic	4	18	58	7	13	0
Liv Ain	4	8	83	1	5	0
Liv RI	4	42	33	6	15	0
M Hope	0	33	37	24	5	0
M RI	17	26	36	4	17	0
Middlbr	3	37	52	6	1	0
Newc	5	75	0	2	17	0
Newry*	4	80	0	0	17	0
Norwch	7	44	27	17	5	1
Nottm	4	46	22	7	20	0
Oxford	7	68	0	9	17	0
Plymth	4	64	0	17	14	0
Ports	0	27	55	18	0	0

Table F.2.3. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Prestn	7	24	53	5	11	0
Redng	1	57	12	31	0	0
Sheff	11	33	43	12	0	0
Shrew	3	42	37	18	0	0
Stevng	0	36	53	11	0	0
Sthend	0	77	0	23	0	0
Stoke	3	48	26	4	18	0
Sund	1	68	15	3	13	0
Swanse	8	52	25	12	4	0
Truro	3	42	32	7	17	0
Tyrone*	2	84	0	0	13	0
Ulster*	7	85	0	0	7	0
Wirral	3	39	42	4	12	0
Wolve	2	29	51	18	0	0
Wrexm	4	76	0	20	0	0
York	2	72	18	9	0	0
England	4	39	39	9	9	0
N Ireland*	4	84	0	1	11	0
Scotland**	4	75	5	6	10	0
Wales	8	43	30	17	3	0
UK	4	43	34	9	9	0

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.4. Dialysis modalities for patients aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	1	92	0	6	1	0
Airdrie**	0	96	0	3	1	0
Antrim*	0	90	0	1	9	0
B Heart	2	84	7	7	0	0
B QEH	1	19	70	5	6	0
Bangor	2	66	0	17	15	0
Basldn	0	80	0	9	11	0
Belfast*	4	85	0	2	10	0
Bradfd	0	68	20	2	10	0
Brightn	4	42	37	9	8	0
Bristol	3	13	74	8	2	0
Camb	0	37	57	0	0	6
Cardff	3	16	69	12	0	0
Carlis	0	67	19	5	9	0
Carsh	0	30	57	5	8	0
Chelms	1	76	0	18	5	0
Clwyd	0	95	0	6	0	0
Colchr	0	100	0			
Covnt	0	83	0	17	0	0
D & Gall**	0	92	0	5	3	0
Derby	5	74	0	18	4	0
Derry*	0	97	0	0	3	0
Donc	0	61	21	3	16	0
Dorset	1	25	53	11	11	0

Table F.2.4. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Dudley	0	51	25	25	0	0
Dundee**	0	94	0	0	6	0
Dunfm**	0	83	0	3	14	0
Edinb**	2	79	0	8	12	0
Exeter	0	35	52	8	5	0
Glasgw**	1	75	18	4	2	0
Glouc	0	91	0	4	6	0
Hull	2	39	44	3	13	0
Inverns**	0	80	0	11	9	0
Ipswi	3	65	5	17	8	1
Kent	1	25	60	14	0	0
Klmarnk**	2	81	0	7	10	0
L Barts	0	28	52	10	11	0
L Guys	0	25	68	3	4	0
L Kings	0	25	62	6	6	0
L Rfree	1	35	56	3	5	0
L St.G	0	46	38	7	9	0
L West	0	28	70	1	0	0
Leeds	0	14	74	4	8	0
Leic	0	19	64	6	11	0
Liv Ain	0	9	88	2	2	0
Liv RI	0	45	40	10	5	0
M Hope	0	37	44	17	3	0
M RI	2	27	54	4	12	0
Middlbr	1	30	63	6	0	0
Newc	0	88	0	2	10	0
Newry*	3	92	0	0	5	0
Norwch	1	51	37	10	2	0
Nottm	1	51	33	6	9	0
Oxford	3	80	0	10	8	0
Plymth	0	80	0	15	5	0
Ports	0	20	65	15	0	0
Prestn	2	18	69	3	7	0
Redng	0	66	15	19	0	0
Sheff	3	38	50	9	0	0
Shrew	0	52	40	8	0	0
Stevng	0	35	61	4	0	0
Sthend	0	95	0	5	0	0
Stoke	0	52	31	7	9	0
Sund	0	65	25	9	1	0
Swanse	0	54	32	11	2	0
Truro	1	45	43	4	7	0
Tyrone*	0	91	0	0	9	0
Ulster*	0	100	0	0	0	0
Wirral	0	33	52	6	9	0
Wolve	0	22	67	11	1	0
Wrexm	2	65	0	31	2	0
York	0	54	39	6	1	0
England	1	40	46	7	5	0
N Ireland*	2	91	0	1	7	0
Scotland**	1	83	6	5	5	0
Wales	2	41	42	13	2	0
UK	1	45	41	7	5	0

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.5. Patient age ranges by centre (%)

Centre	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Abrdn	3	10	13	21	22	18	12	1
Airdrie	4	10	15	23	19	18	10	1
Antrim	1	4	14	15	16	27	18	5
B Heart	1	7	9	16	20	26	17	3
B QEH	3	7	15	21	20	18	13	2
Bangor	2	5	6	14	20	25	23	6
Basldn	1	8	10	16	20	21	18	7
Belfast	3	10	15	26	18	16	10	2
Bradfd	5	10	14	22	18	19	9	2
Brightn	1	7	12	16	20	23	17	3
Bristol	3	8	13	21	23	21	10	2
Camb	2	8	15	20	23	17	12	3
Cardff	3	7	16	22	22	17	11	2
Carlis	3	4	16	21	22	22	12	
Carsh	1	6	14	19	20	20	15	4
Chelms	2	6	8	15	26	20	19	5
Clwyd	3	4	10	22	26	19	13	3
Colchr	1	3	3	10	23	28	28	3
Covnt	1	6	18	20	18	22	12	3
D & Gall	3	3	16	18	24	16	18	3
Derby	1	6	10	18	21	25	18	3
Derry	1	6	19	14	21	22	16	1
Donc	3	4	8	16	28	22	16	4
Dorset	2	5	12	15	20	26	16	3
Dudley	2	3	11	18	26	25	12	2
Dundee	2	6	16	15	22	23	13	4
Dunfn	2	8	12	21	21	23	11	2
Edinb	2	7	17	24	22	17	10	1
Exeter	2	5	12	19	21	19	18	4
Glasgw	3	7	16	24	21	18	10	1
Glouc	1	5	12	16	22	21	19	5
Hull	2	7	15	20	24	18	11	2
Inverns	1	7	19	21	18	17	16	1
Ipswi	2	6	13	22	24	20	11	2
Kent	3	6	13	17	22	23	14	3
Klmarnk	1	5	15	21	24	15	15	4
L Barts	2	9	17	25	23	16	8	0
L Guys	3	8	18	25	20	15	10	2
L Kings	1	7	17	22	21	20	11	1
L Rfree	3	9	17	20	20	17	12	2
L St.G	2	6	15	20	23	20	12	2
L West	1	7	14	22	22	21	11	2
Leeds	4	9	16	20	21	18	11	2
Leic	2	6	15	19	23	20	13	2
Liv Ain	2	5	8	15	25	25	18	1
Liv RI	2	9	17	25	20	17	10	1
M Hope	2	8	18	21	22	18	10	1
M RI	5	8	18	25	21	15	8	0
Middlbr	2	7	16	21	20	21	12	2
Newc	4	7	13	22	26	17	10	1
Newry	3	8	10	16	20	26	14	4
Norwch	2	6	12	18	18	22	18	4
Nottm	5	7	15	21	22	17	12	1
Oxford	2	8	17	22	22	18	9	2
Plymth	1	6	13	22	21	23	11	2
Ports	3	7	15	21	23	17	12	1
Prestn	1	7	15	21	22	19	12	2

Table F.2.5. Continued

Centre	18–24	25–34	35–44	45–54	55–64	65–74	75–84	85+
Redng	1	6	12	18	22	21	16	4
Sheff	2	7	13	20	22	21	12	3
Shrew	4	5	13	19	19	22	17	2
Stevng	2	5	14	17	19	23	16	2
Sthend	1	6	10	14	24	24	16	5
Stoke	3	7	15	21	19	20	14	2
Sund	2	6	16	23	21	20	10	1
Swanse	2	5	10	13	24	25	19	4
Truro	1	6	12	14	20	22	20	5
Tyrone	4	8	14	15	16	23	16	4
Ulster	1	5	6	11	13	31	26	6
Wirral	2	5	10	17	16	25	21	4
Wolve	2	5	13	19	19	23	17	3
Wrexm	5	6	18	19	16	21	12	3
York	3	9	14	18	20	18	12	6
England	2	7	15	21	21	19	12	2
N Ireland	3	8	14	20	18	21	14	3
Scotland	2	7	16	22	21	18	11	2
Wales	3	6	14	19	22	20	14	3
UK	2	7	15	21	21	19	12	2

Table F.2.6. Dialysis modalities for non-diabetic patients (all ages)

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	4	82	0	6	8	0
Airdrie**	0	94	0	2	4	0
Antrim*	2	88	0	0	10	0
B Heart	3	81	8	8	1	0
B QEH	3	18	63	7	9	0
Bangor	4	67	0	12	16	0
Basldn	0	84	0	6	10	0
Belfast*	4	82	0	2	12	0
Bradfd	0	65	18	5	13	0
Brightn	8	38	32	11	11	0
Bristol	7	15	63	10	6	0
Camb	2	37	51	0	0	10
Cardff	7	18	55	19	0	0
Carlis	0	59	21	7	13	0
Carsh	1	32	51	5	11	0
Chelms	1	73	0	18	8	0
Clwyd	2	88	0	7	4	0
Covnt	1	79	0	20	0	0
D & Gall**	0	80	0	10	10	0
Derby	5	70	0	21	4	0
Derry*	2	93	0	0	5	0
Donc	0	63	18	2	16	0
Dorset	1	24	54	10	12	0
Dudley	1	50	24	25	0	0
Dundee**	0	85	0	2	14	0
Dunfn**	0	83	0	2	15	0
Edinb**	3	79	0	8	11	0
Exeter	1	37	46	11	5	0

Table F.2.6. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Glasgw**	5	69	17	7	2	0
Glouc	0	80	0	5	14	0
Hull	4	39	38	6	13	0
Inverns**	4	70	0	12	15	0
Ipswi	2	63	9	13	13	1
Kent	3	24	57	17	0	0
Klmarnk**	4	75	0	6	15	0
L Barts	1	28	49	9	13	0
L Guys	7	21	64	3	6	0
L Kings	0	28	52	7	13	0
L Rfree	4	36	52	2	6	0
L St.G	3	44	31	10	12	0
L West	1	29	67	2	2	0
Leeds	3	14	65	6	12	0
Leic	3	18	60	7	12	0
Liv Ain	3	8	85	1	3	0
Liv RI	3	42	37	8	10	0
M Hope	0	37	39	19	5	0
M RI	14	26	36	5	18	0
Middlbr	2	32	59	6	0	0
Newc	4	79	0	2	15	0
Newry*	4	83	0	0	13	0
Norwch	4	49	31	12	3	0
Nottm	3	47	29	6	15	0
Oxford	5	74	0	9	11	0
Plymth	2	72	0	17	8	0
Ports	0	23	60	17	0	0
Prestn	5	19	62	4	9	0
Redng	0	64	14	22	0	0
Sheff	8	35	48	10	0	0
Shrew	2	47	39	13	0	0
Stevng	0	38	54	8	0	0
Sthend	0	84	0	16	0	0
Stoke	2	51	29	5	13	0
Sund	1	64	21	6	9	0
Swanse	3	52	30	11	4	0
Truro	1	47	37	6	8	0
Tyrone*	1	90	0	0	9	0
Ulster*	3	96	0	0	1	0
Wolve	1	23	60	15	0	0
Wrexm	4	68	0	27	1	0
York	1	64	28	6	1	0
England	3	39	42	9	7	0
N Ireland*	3	87	0	1	9	0
Scotland**	3	78	5	6	8	0
Wales	5	42	34	16	3	0
UK	3	44	37	8	7	0

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.7. Number of non-diabetic patients by treatment modality

	HD	PD	Transplant
England	13,458	2,584	17,037
N Ireland	563	65	582
Scotland	1,474	246	1,850
Wales	819	192	1,066
UK	16,314	3,087	20,535

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)
Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.8. Dialysis modalities for non-diabetic patients aged under 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	6	75	0	5	14	0
Airdrie**	0	91	0	3	6	0
Antrim*	7	82	0	0	11	0
B Heart	5	79	6	8	1	0
B QEH	4	18	58	8	12	0
Bangor	7	70	0	7	16	0
Basldn	0	86	0	3	10	0
Belfast*	3	82	0	3	11	1
Bradfd	0	69	10	8	13	0
Brightn	14	34	25	12	15	0
Bristol	10	18	51	12	10	0
Camb	5	37	42	0	0	16
Cardff	11	20	45	24	0	0
Carlisle	0	52	24	9	15	0
Carsh	1	35	44	6	13	0
Chelms	0	69	0	20	12	0
Clwyd	3	82	0	9	6	0
Covnt	3	76	0	21	0	0
D & Gall**	0	63	0	16	21	0
Derby	5	64	0	24	7	0
Derry*	4	85	4	0	7	0
Donc	0	64	12	3	21	0
Dorset	0	25	55	8	12	0
Dudley	2	51	22	26	0	0
Dundee**	0	72	0	4	24	0
Dunfn**	0	85	0	2	13	0
Edinb**	4	77	0	7	12	0
Exeter	2	33	39	16	10	0
Glasgw**	7	65	15	10	3	0
Glouc	0	65	0	6	27	1
Hull	6	38	34	10	12	0

Table F.2.8. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Inverns**	9	63	0	9	19	0
Ipswi	2	58	12	10	18	0
Kent	4	21	53	21	0	0
Klmarnk**	6	71	0	4	19	0
L Barts	1	30	46	8	15	0
L Guys	10	22	58	3	6	0
L Kings	0	34	42	7	17	0
L Rfree	7	39	45	2	8	0
L St.G	6	40	28	9	16	0
L West	2	30	63	1	3	0
Leeds	6	17	55	8	15	0
Leic	5	19	56	6	13	0
Liv Ain	5	7	83	0	5	0
Liv RI	5	40	36	5	14	0
M Hope	0	37	33	23	7	0
M RI	20	25	30	5	20	0
Middlbr	3	37	53	6	1	0
Newc	6	74	0	2	18	0
Newry*	4	76	0	0	20	0
Norwch	7	47	24	15	6	1
Nottm	4	46	23	6	21	0
Oxford	7	69	0	8	16	0
Plymth	6	59	0	20	16	0
Ports	0	28	53	19	0	0
Prestn	8	21	55	6	11	0
Redng	0	59	11	29	0	0
Sheff	12	33	44	10	0	0
Shrew	3	41	39	17	0	0
Stevng	0	40	48	12	0	0
Sthend	0	71	0	29	0	0
Stoke	4	51	27	3	16	0
Sund	1	66	16	3	14	0
Swanse	8	53	24	10	5	0
Truro	3	55	26	10	6	0
Tyrone*	2	85	0	0	12	0
Ulster*	11	84	0	0	5	0
Wolve	3	29	49	19	0	0
Wrexm	6	75	0	19	0	0
York	2	71	19	7	0	0
England	5	38	38	9	10	0
N Ireland*	4	82	0	1	12	0
Scotland**	5	73	5	7	11	0
Wales	9	43	29	17	3	0
UK	5	43	33	9	9	0

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.9. Number of non-diabetic patients aged under 65 by treatment modality

	HD	PD	Transplant
England	6,539	1,555	14,146
N Ireland	247	39	484
Scotland	727	155	1,573
Wales	364	92	883
UK	7,877	1,841	17,086

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester). Diabetic patients are patients with a primary renal disease code of diabetes.

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code.

Table F.2.10. Dialysis modalities for non-diabetic patients aged over 65

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	1	90	0	7	1	0
Airdrie**	0	97	0	1	1	0
Antrim*	0	91	0	0	9	0
B Heart	2	82	9	7	0	0
B QEH	1	19	70	5	6	0
Bangor	2	65	0	17	17	0
Basldn	0	82	0	8	10	0
Belfast*	4	83	0	1	12	0
Bradfd	0	59	28	1	12	0
Brightn	5	41	37	10	8	0
Bristol	4	12	73	9	2	0
Camb	0	37	57	0	0	6
Cardff	4	16	65	15	0	0
Carlisle	0	65	19	5	11	0
Carsh	1	29	57	5	8	0
Chelms	1	76	0	17	6	0
Clwyd	0	96	0	4	0	0
Covnt	0	81	0	19	0	0
D & Gall**	0	90	0	6	3	0
Derby	6	75	0	17	2	0
Derry*	0	97	0	0	3	0
Donc	0	63	24	1	12	0
Dorset	1	24	53	10	12	0
Dudley	0	49	26	25	0	0
Dundee**	0	93	0	0	7	0
Dunfm**	0	81	0	2	17	0
Edinb**	1	81	0	8	10	0
Exeter	0	39	52	7	2	0
Glasgw**	2	75	19	5	1	0
Glouc	0	90	0	4	6	0

Table F.2.10. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Hull	2	39	43	3	13	0
Inverns**	0	74	0	14	12	0
Ipswi	3	67	6	15	8	2
Kent	2	25	60	13	0	0
Klmarnk**	3	79	0	8	11	0
L Barts	0	23	55	11	11	0
L Guys	1	18	72	3	6	0
L Kings	0	18	68	7	7	0
L Rfree	1	33	61	2	4	0
L St.G	0	48	34	10	7	0
L West	0	28	70	2	0	0
Leeds	0	12	75	4	10	0
Leic	0	18	65	7	11	0
Liv Ain	0	9	88	2	2	0
Liv RI	1	44	39	11	4	1
M Hope	0	37	47	13	2	0
M RI	4	28	47	6	16	0
Middlbr	1	28	64	6	0	0
Newc	0	86	0	2	11	0
Newry*	4	89	0	0	7	0
Norwch	2	51	36	10	2	0
Nottm	2	47	36	6	9	0
Oxford	3	80	0	11	6	0
Plymth	0	81	0	16	4	0
Ports	0	18	66	16	0	0
Prestn	3	17	70	3	8	0
Redng	0	67	17	16	0	0
Sheff	3	37	51	9	0	0
Shrew	0	53	38	9	0	0
Stevng	0	35	60	4	0	0
Sthend	0	94	0	6	0	0
Stoke	0	51	32	7	10	0
Sund	0	61	28	10	1	0
Swanse	0	52	33	12	3	0
Truro	0	44	43	4	9	0
Tyrone*	0	93	0	0	7	0
Ulster*	0	100	0	0	0	0
Wolve	0	19	69	12	0	0
Wrexm	2	63	0	33	2	0
York	0	56	39	4	1	0
England	1	40	46	8	5	0
N Ireland*	2	91	0	0	7	0
Scotland**	1	82	6	5	6	0
Wales	2	41	39	15	3	0
UK	1	45	41	8	5	0

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.11. Number of non-diabetic patients aged over 65 by treatment modality

	HD	PD	Transplant
England	6,919	1,029	2,891
N Ireland	316	26	98
Scotland	747	91	277
Wales	455	100	183
UK	8,437	1,246	3,449

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester). Diabetic patients are patients with a primary renal disease code of diabetes.

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code.

Table F.2.12. Dialysis modalities for diabetic patients

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Abrdn**	0	89	0	11	0	0
Airdrie**	0	88	0	12	0	0
Antrim*	0	89	0	11	0	0
B Heart	2	88	6	5	0	0
B QEH	0	16	69	15	0	0
Bangor	6	67	0	28	0	0
Basldn	0	79	0	17	3	0
Belfast*	7	86	0	7	0	0
Bradfd	0	86	9	5	0	0
Brightn	7	42	35	17	0	0
Bristol	3	20	66	10	0	0
Camb	5	35	45	0	15	0
Cardff	3	16	68	13	0	0
Carlisle	0	64	27	9	0	0
Carsh	0	26	62	13	0	0
Chelms	0	83	0	17	0	0
Clwyd	0	96	0	4	0	0
Covnt	0	84	0	16	0	0
D & Gall**	0	85	0	15	0	0
Derby	1	70	0	29	0	0
Derry*	0	100	0	0	0	0
Donc	0	48	17	34	0	0
Dorset	2	21	62	15	0	0
Dudley	0	57	13	30	0	0
Dundee**	0	95	0	5	0	0
Dunfn**	0	83	0	17	0	0
Edinb**	2	81	0	18	0	0
Exeter	0	43	50	8	0	0
Glasgw**	2	73	18	7	0	0

Table F.2.12. Continued

Centre	% home HD	% hospital HD	% satellite HD	% CAPD	% APD	% unknown type of PD
Glouc	0	88	0	12	0	0
Hull	0	38	44	18	0	0
Inverns**	0	100	0	0	0	0
Ipswi	0	58	4	38	0	0
Kent	0	25	56	19	0	0
Klmarnk**	0	81	0	19	0	0
L Barts	0	32	49	19	0	0
L Guys	1	36	59	3	1	0
L Kings	0	32	56	12	0	0
L Rfree	0	45	50	5	0	0
L St.G	0	42	43	13	1	0
L West	0	32	66	2	0	0
Leeds	1	17	65	16	0	0
Leic	1	24	60	15	0	0
Liv Ain	0	7	87	7	0	0
Liv RI	0	53	27	20	0	0
M Hope	0	28	44	28	0	0
M RI	4	39	40	15	1	0
Middlbr	2	33	65	0	0	0
Newc	0	86	0	14	0	0
Newry*	0	100	0	0	0	0
Norwch	2	42	42	15	0	0
Nottm	4	56	20	21	0	0
Oxford	2	72	0	26	0	0
Plymth	0	75	0	25	0	0
Ports	0	28	60	13	0	0
Prestn	2	29	57	12	0	0
Redng	0	59	12	29	0	0
Sheff	3	39	41	17	0	0
Shrew	0	48	38	15	0	0
Stevng	0	29	67	4	0	0
Sthend	0	97	0	3	0	0
Stoke	0	49	26	25	0	0
Sund	0	76	14	10	0	0
Swanse	4	59	26	10	0	0
Truro	0	37	59	4	0	0
Tyrone*	0	79	0	21	0	0
Ulster*	0	95	0	5	0	0
Wolve	0	30	57	13	0	0
Wrexm	0	81	0	19	0	0
York	0	52	34	14	0	0
England	1	41	44	14	0	0
N Ireland*	2	90	0	8	0	0
Scotland**	1	83	6	10	0	0
Wales	3	42	42	13	0	0
UK	1	46	40	13	0	0

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

* There are no satellite centres in Northern Ireland

** All haemodialysis patients in centres in Scotland are shown as receiving treatment at home or in centre as no data is available regarding satellite dialysis (except Glasgow)

Table F.2.13. Number of diabetic patients by treatment modality

	HD	PD	Transplant
England	3,681	603	1,716
N Ireland	157	13	47
Scotland	355	41	179
Wales	230	34	128
UK	4,423	691	2,070

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)
Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.14. Diabetics

Centre	M:F ratio	Median age on 31/12/2008	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
Abrdn	1.6	60	55	1,398	3.8
Airdrie	1.5	53	47	1,095	3.0
Antrim	1.1	66	61	1,322	3.6
B Heart	1.7	65	61	933	2.6
B QEH	1.3	63	59	1,068	2.9
Bangor	1.6	70	68	467	1.3
Basldn	3.3	62	59	1,319	3.6
Belfast	1.6	59	53	1,380	3.8
Bradfd	1.7	61	56	1,025	2.8
Brightn	2.0	62	60		
Bristol	1.3	61	57	1,256	3.4
Camb	2.0	47	41	1,826	5.0
Cardff	1.7	61	54	1,059	2.9
Carlisle	3.5	60	57	1,359	3.7
Carsh	1.9	63	59	1,098	3.0
Chelms	2.3	60	58	783	2.1
Clwyd	1.0	63	53	1,290	3.5
Covnt	1.7	65	61	963	2.6
D & Gall	2.5	59	53	1,104	3.0
Derby	1.4	65	62	961	2.6
Derry	0.3	57	53	1,877	5.1
Donc	2.6	59	57	812	2.2
Dorset	2.3	59	52	905	2.5
Dudley	3.6	60	58	978	2.7
Dundee	1.1	59	56	1,130	3.1
Dunfn	0.7	57	55	986	2.7
Edinb	1.9	55	48	1,269	3.5
Exeter	1.2	56	52	926	2.5
Glasgw	1.3	59	55	1,147	3.1
Glouc	1.3	58	51	1,196	3.3
Hull	1.6	62	54	1,369	3.7
Inverns	2.2	52	48	1,464	4.0
Ipswi	1.8	59	54	1,004	2.7
Kent	1.6	61	58	1,030	2.8
Klmarnk	1.3	56	49	1,039	2.8

Table F.2.14. Continued

Centre	M:F ratio	Median age on 31/12/2008	Median age at start of treatment	Median time on RRT in days	Median time on RRT in years
L Barts	1.8	62	58	1,034	2.8
L Guys	1.2	57	51	1,381	3.8
L Kings	1.1	63	59	844	2.3
L Rfree	1.2	65	59	1,304	3.6
L St.G	1.2	67	62	1,151	3.2
L West	1.7	62	57	1,267	3.5
Leeds	1.4	61	57	1,439	3.9
Leic	1.6	61	56	1,054	2.9
Liv Ain	0.9	59	57	711	1.9
Liv RI	1.5	55	50	1,652	4.5
M Hope	1.2	64	61	790	2.2
M RI	1.5	56	52	1,207	3.3
Middlbr	1.3	53	48	1,067	2.9
Newc	1.3	54	49	1,052	2.9
Newry	1.9	66	62	866	2.4
Norwch	1.1	63	56	982	2.7
Nottm	1.3	59	53	1,203	3.3
Oxford	1.9	56	49	1,410	3.9
Plymth	2.2	57	54	906	2.5
Ports	1.9	56	52	966	2.6
Prestn	1.9	61	58	1,110	3.0
Redng	1.5	63	60	949	2.6
Sheff	1.8	61	56	1,174	3.2
Shrew	1.5	64	62	876	2.4
Stevng	2.0	63	60	835	2.3
Sthend	1.2	62	55	1,310	3.6
Stoke	1.0	62	57	1,165	3.2
Sund	1.6	58	55	804	2.2
Swanse	2.2	63	58	908	2.5
Truro	2.4	62	62	1,191	3.3
Tyrone	1.5	66	63	570	1.6
Ulster	1.4	67	65	1,190	3.3
Wolve	1.8	59	56	1,052	2.9
Wrexm	3.0	51	41	1,966	5.4
York	1.3	56	54	979	2.7
England	1.5	61	56	1,125	3.1
N Ireland	1.3	64	60	1,274	3.5
Scotland	1.4	57	52	1,196	3.3
Wales	1.8	61	55	1,071	2.9
UK	1.5	60	56	1,140	3.1

Excluded centres with $\geq 40\%$ primary renal diagnosis aetiology uncertain/glomerulonephritis (not biopsy proven) (Wirral) as well as centres with $\geq 50\%$ primary renal diagnosis not sent (Colchester)

Diabetic patients are patients with a primary renal disease code of diabetes

Non-diabetic patients are calculated as all patients excluding patients with diabetes and patients with a missing primary renal disease code

Table F.2.15. Transplant gender ratios

	% males	% females	N males	N females	M:F ratio
England	60.5	39.5	11,742	7,676	1.5
N Ireland	63.2	36.8	398	232	1.7
Scotland	59.5	40.5	1,213	825	1.5
Wales	63.2	36.8	757	441	1.7
UK	60.6	39.4	14,110	9,174	1.5

