

UK Renal Registry 20th Annual Report: Appendix I Acronyms and Abbreviations used in the Annual Report

AAB	Academic Affairs Board (Renal Association)
ACE (inhibitor)	Angiotensin converting enzyme (inhibitor)
ACHD	Started with acute HD and recoded as ERF
ACR	Albumin : creatinine ratio
ADPKD	Autosomal dominant polycystic kidney disease
AHD	Started with acute HD but never coded as ERF
AKI	Acute kidney injury
ANOVA	Analysis of variance
ANZDATA	Australia and New Zealand Dialysis and Transplant Registry
APD	Automated peritoneal dialysis
APKD	Adult polycystic kidney disease
ATTOM	Access to Transplant and Transplant Outcome Measures
ATTOMic	Access to transplant and transplant outcome measures in children
AV	Arteriovenous
AVF	Arteriovenous fistula
AVG	Arteriovenous graft
BAPN	British Association for Paediatric Nephrology
BCG	Bromocresol green
BCP	Bromocresol purple
Bicarb	Bicarbonate
BISTRO	BioImpedance Spectroscopy to Maintain Renal Output
BKN	BK virus nephropathy
BMD	Bone mineral disease
BMI	Body mass index
BP	Blood pressure
BPAR	Biopsy proven acute rejection
BPSU	British Paediatric Surveillance Unit
BSI	Blood stream infection
BTS	British Transplant Society
Ca	Calcium
CAB	Clinical Affairs Board (Renal Association)
CABG	Coronary artery bypass grafting
CAKUT	Congenital anomalies of the kidneys and urinary tract
CAPD	Continuous ambulatory peritoneal dialysis
CCG	Clinical Commissioning Group
CCL	Clinical Computing Limited
CCPD	Cycling peritoneal dialysis
CDI	Clostridium difficile infection
CHD	Started HD with ERF
Chol	Cholesterol

CHr	Target reticulocyte Hb content
CI	Confidence interval
CICR	Cumulative incidence competing risk
CIF	Cumulative incidence function
Circ fail	Circulatory failure
CK	Creatine kinase
CKD	Chronic kidney disease
CKD-EPI	Chronic kidney disease epidemiology collaboration
CK-MB	Creatine kinase isoenzyme MB
CKD-MBD	Chronic kidney disease-mineral bone disorder
CMV	Cytomegalovirus
CNI(s)	Calcineurin inhibitor(s)
COPD	Chronic obstructive pulmonary disease
Creat	Creatinine
cRF	Calculated HLA antibody reaction frequency
CRF	Chronic renal failure
CRP	C-reactive protein
CVRF	Cardiovascular risk factor
CVVH	Continuous veno-venous haemofiltration
CXR	Chest x-ray
DBD	Donor after brainstem death
DBP	Diastolic blood pressure
DCCT	Diabetes Control and Complications Trial
DCD	Donor after circulatory death
DH	Department of Health
DM	Diabetes mellitus
DOB	Date of birth
DOPPS	Dialysis Outcomes and Practice Patterns Study
E _i	Expected cases in area i
E Coli	Escherichia coli
E&W	England and Wales
E, W & NI	England, Wales and Northern Ireland
EBPG	European Best Practice Guidelines
EBV	Epstein Barr Virus
ECG	Electrocardiogram
EDTA	European Dialysis and Transplant Association
EF	Error factor
eGFR	Estimated glomerular filtration rate
ECD	Extended Criteria Donor
EDTA	European Dialysis and Transplant Association
eKt/V	Equilibrated Kt/V
EPO	Erythropoietin
ERA	European Renal Association
ERA-EDTA	European Renal Association – European Dialysis and Transplant Association
ERF	Established renal failure
ESA	Erythropoiesis stimulating agent
ESPN	European Society for Paediatric Nephrology
ESRD	End stage renal disease
ESRF	End stage renal failure
EWNI	England, Wales and Northern Ireland
Ferr	Ferritin
FEV1	Forced expiratory volume in 1 second
FVC	Forced vital capacity
GIRFT	Getting It Right First Time
GFR	Glomerular filtration rate
GH	Growth hormone
GN	Glomerulonephritis
GP	General practitioner
HA	Health Authority
HB	Health board

Hb	Haemoglobin
HbA1c	Glycated Haemoglobin
HBeAg	Hepatitis B e antigen
HCAI-DCS	Healthcare-associated infection data collection system
HD	Haemodialysis
HDF	Haemodialysis filtration
HDL	High-density lipoprotein
HES	Hospital Episode Statistics
HHD	Home haemodialysis
HLA	Human leucocyte antigen
HPA	Health Protection Agency
HQIP	Health Quality Improvement Partnership
HR	Hazard ratio
HRC	Hypochromic red blood cells
HSV	Herpes simplex virus
Ht	Height
HT	Home therapy
HTN	Hypertension
HUS	Haemolytic uraemic syndrome
Hypvol	Hypovolaemia
ICHD	In centre haemodialysis
ICNARC	Intensive Care National Audit and Research Centre
ICU	Intensive care unit
IDMS	Isotope dilution mass spectrometry
IDOPPS	International Dialysis Outcomes and Practice Patterns Study
IFCC	International Federation of Clinical Chemistry & Laboratory Medicine
IHD	Ischaemic heart disease
IL2-RA	Interleukin-2 receptor antagonists
ILRA	Interleukin receptor antagonist
IMD	Index of Multiple Deprivation
IOTF	International Obesity Taskforce
IPD	Intermittent peritoneal dialysis
IQR	Inter-quartile range
ISPD	International Society for Peritoneal Dialysis
IT	Information technology
IU	International units
IV	Intravenous
KDIGO	Kidney Disease: Improving Global Outcomes
KDOQI	Kidney Disease Outcomes Quality Initiative
KM	Kaplan Meier
KQuIP	Kidney Quality Improvement Partnership
KTR	Kidney Transplant Recipient
Kt/V	Ratio between the product of urea clearance (K, in ml/min) and dialysis session duration (t, in minutes) divided by the volume of distribution of urea in the body (V, in ml)
LA	Local Authority
LCL	Lower confidence limit
LDL	Low-density lipoprotein
LOINC	Logical Observation Identifiers Names and Codes
LSOA	Lower super output area
LTFU	Lost to follow-up
M:F	Male:Female
MAGIC	Managing Access by Generating Improvements in Cannulation
MAP	Mean arterial blood pressure
MDRD	Modification of diet in renal disease
MI	Myocardial infarction
MMF	Mycophenolate mofetil
MPA	Mycophenolic acid
MRSA	Methicillin resistant Staphylococcal aureus
MSSA	Methicillin sensitive Staphylococcal aureus
N	Number

N Ireland	Northern Ireland
NCDS	National Co-operative Dialysis Study
NE	North East
NEQAS	UK National External Quality Assessment Scheme
NHBPEP	National high blood pressure education programme
NHS	National Health Service
NHS BT	National Health Service Blood and Transplant
NI	Northern Ireland
NICE	National Institute for Health and Care Excellence
NISRA	Northern Ireland Statistic and Research Agency
NKF	National Kidney Federation
NMO	Non-mixed origin
NODAT	New onset of diabetes after transplantation
NRS	National Records of Scotland
NSF	National service framework
NTC	Non-tunnelled dialysis catheter
NTL	Non-tunnelled line
NURTuRE	National Unified Renal Translational Research Enterprise
NW	North West
O/E	Observed/expected
O _i	Observed cases in area i
ODT	Organ Donation and Transplantation (a Directorate of NHS Blood and transplant)
ONS	Office for National Statistics
ONSPD	ONS postcode directory
OR	Odds ratio
OW	Over weight
PAS	Patient Administration System
PCR	Protein : creatinine ratio
PCT	Primary Care Trust
PD	Peritoneal dialysis
PDOPPS	UK Peritoneal Dialysis Outcomes and Practice Patterns Study
PEx	Plasma exchange
PHE	Public Health England
Phos	Phosphate
PIAG	Patient Information Advisory Group
PKD	Polycystic kidney disease
PMARP	Per million age related population
PMCP	Per million child population
PMP	Per million population
PO ₄	Phosphate
PP	Pulse pressure
PRD	Primary renal disease
PREM	Patient Reported Experience Measures
PTH	Parathyroid hormone
PTLD	Post transplant lymphoproliferative disorder
PTx	Pre-emptive transplant
PV	PatientView
PVD	Peripheral vascular disease
Pyelo	Pyelonephritis
QI	Quality improvement
QOF	Quality and Outcomes Framework
QUEST	Quality European Studies
RA	Renal Association
RaDaR	National Registry of Rare Kidney Diseases
RAS	Renin angiotensin system
Rhabdo	Rhabdomyolysis
rhGH	Recombinant human growth hormone
RI	Royal Infirmary
RNSF	Renal National Service Framework (or NSF)
RPV	Renal Patient View

RR	Relative risk
RRDSS	RenalRegistry data set specification
RRT	Renal replacement therapy
RVD	Renovascular disease
S Asian	South Asian
SAR	Standardised acceptance ratio (= O/E)
SAS	Statistical Analysis System
SBP	Systolic blood pressure
SD	Standard deviation
SES	Socio-economic status
SHA	Strategic health authority
SHARP	Study of Heart and Renal Protection
SI	System International (units)
SIR	Standardised incidence ratio (= O/E)
SMR	Standardised mortality ratios
SNOWMED CT	Systematised Nomenclature of Medicine Clinical Terms
SPIRIT	Serum Phosphate Intervention in Renal Replacement Therapy
spKt/V	Single pool Kt/V
SPC	Statistical process control
SPR	Standardised prevalence ratio (= O/E)
SR	Standardised ratio (used to cover either SAR or SPR)
SRR	Scottish Renal Registry
SUS	Secondary uses service
SW	South West
TC	Tunnelled dialysis catheter
TDAs	T-cell (lymphocyte) depleting antibodies
TID	Tubulointerstitial disease
TL	Tunnelled line
TP-CKD	Transforming Participation in Chronic Kidney Disease
TSAT	Transferrin saturation
TWL	Transplant waiting list
Tx	Transplant
UCL	Upper confidence limit
UK	United Kingdom
UKRDC	UK Renal Data Collaboration
UKRR	UK Renal Registry
UKT	UK Transplant (now ODT)
URR	Urea reduction ratio
US	United States
USA	United States of America
USRDS	United States Renal Data System
VZV	Varicella zoster virus
WHO	World Health Organization
Wt	Weight

